



Official website
凡恩官网

LADDERS CATALOGUE


(第15版)

2023-2024



不断革新，永不停步 Keep upgrading and developing

FINE has independently invented and manufactured multiple sets of production equipment, including ladder assembly machines, riveting machines, aluminum extrusion - mold separators, and compression machines, serving peer manufacturers.



专业团队开发, 满足你定制需要



跨越国境阻隔，走向世界市场

FINE products have been exported to various parts of the world

FINE provides products to more than 50 countries and regions around the world, including Europe, North America, Southeast Asia, South America, and actively expands overseas markets.

奋力追梦，“铝”创殊荣 Make remarkable achievements repeatedly

FINE has passed the ISO9001 quality certification system, and all ladders produced by FINE have corresponding certification certificates, such as SGS. FINE has been awarded the title of "Guangdong Province Contract abiding and Creditworthy Enterprise" for many consecutive years.



为确保职场的安全放心，本公司派遣专业技术人员，针对性对客户的产品提供免费检验服务。

始于**1996年**，拥有超过**27年**的生产经验与技术能力

Since 1996 **FINE** manufacture a full line of professional grade products while withstanding the most challenging jobs.

原料自主生产，从源头保证质量

Process raw material in-house to ensure quality manufacturing

FINE has modern factories and automated production lines and equipment imported from Europe. FINE independently produces and processes the raw materials required for its products, including aluminum profiles, plastics, accessories, etc., and controls them from the source to ensure controllable product quality and stable delivery time, achieving fast shipment and competitive advantages in price and quality.




★ 公司拥有独立实验室，更全面测试产品性能。



原料自主生产，从源头保证质量

Safety and reliable, meet or exceeds different standards GB/EN131/ANSI/AS NZS

FINE has passed the ISO9001:2015 international quality system certification and has passed the factory inspection by the German TUV organization. All products comply with international standards such as American ANSI, European Union EN131, EN1004, EN14183, Australian AS NZS, and Chinese GB12142-2007 Safety Requirements for Portable Metal Ladders. All products undergo strict testing before leaving the factory to ensure the provision of safe and compliant products to the market.



★ 第三方检测认证


个性化定制，根据客户需求，研发设计配套解决方案

Personalized customization to provide a variety of possibility for different climbing requirements



- AL** ALUMINUM LADDERS
- FRP** FIBERGLASS LADDERS
- SS** STAINLESS LADDER
- CP** CUSTOMIZED LADDERS
- MC** MACHINE
- PC** PROJECT / CASE

铝合金产品 ALUMINUM PRODUCT



主页产品标志详解 LOGO BASIC MEANING



主要材料采用铝合金制作
The main material is made of aluminum alloy



符合中国国家标准
Meet China National standards



可在带电环境下作业
For working around electricity



主要材料采用不锈钢制作
The main material is made of stainless steel



符合澳洲最新标准
Meet the latest standards of Australia and New Zealand



符合美国最新标准
Meet the latest standards of America




主要材料采用玻璃钢制作
The main material is made of fiberglass



通过欧洲梯子检测认证
Certified by European ladder test




通过欧洲脚手架检测认证
Passed European scaffold inspection certification







工业铝材
Industrial Profile




门窗铝材
Aluminum Doors&Windows Profile



圆管铝材
Aluminum Round Tube



方管铝材
Aluminum Square Tube



白板铝材
Aluminum Profile for Whiteboard




通风口铝材
Aluminum Profile for Air vents




全铝家居型材
Aluminum home profile




汽车架铝材
Aluminum for Automobile Frame



地板铝材
Aluminum Tile Trim



散热铝材
Heat Sink Profile




梯具铝材
Ladders/Scaffolding Profile



护栏铝材
Handle Profile



衣杆型材
Clothing rod Profile



踢脚线型材
Skirting line Profile



aluminum materials through the authority of certification, quality assurance

FN-128A | FN-128D

竹节梯系列


关节处 (橙色标注) 可选做尼龙紧固件或铝合金紧固件

Telescopic ladder series

The joints (marked in orange) can be used as nylon fasteners or aluminum fasteners

尼龙加固件&铝合金加固件

Nylon fastener
& aluminum fastener



FN-128L

阁楼爬梯



FN-128F

玻璃钢绝缘竹节梯

FN-128A | FN-128D

SINGLE SIDE TELESCOPIC LADDER

竹节式单面伸缩梯

产品特点 PRODUCT FEATURES

- 快速操作，携带、存储方便
- 采用高强度尼龙紧固件
- 高强度铝合金材料
- 定制全铝紧固件：加大锁扣，承重加强
- 超软防滑PP脚
- Easy Carry, easy storage, faster operation
- High strength nylon fasteners
- Extra thick all-rustproof aluminum construction
- All aluminum fasteners are available
- PP slip-resistant foot

竹节梯细节 DETAILS



FN-128A



FN-128D



150KG
最大承重
MAX.



型号 Model No.	伸直高度(cm/ft) Extension height	闭合高度(cm/ft) Close height	宽度(cm/ft) Width	重量(KG) Weight	包装尺寸(cm/pc) Carton size	装柜量(PCS) Loading Qty	价格 Price
FN-128A / D20	200 / 6.56'	67 / 2.20'	46 / 1.51'	4.8 / 5.3	48×8×70	1140 / 2584	
FN-128A / D26	260 / 8.53'	75 / 2.46'	46.6 / 1.53'	6.5 / 7.5	47×8×76	1050 / 2380	
FN-128A / D32	320 / 10.50'	81 / 2.66'	47.5 / 1.56'	8.3 / 9.3	48×9×82	847 / 1920	
FN-128A / D38	380 / 12.47'	87 / 2.85'	48.2 / 1.58'	10.8 / 12	48×9×88	789 / 1789	
FN-128A / D41	410 / 13.45'	90 / 2.95'	48.2 / 1.58'	11.2 / 12.3	49×10×92	665 / 1508	
FN-128A / D44	440 / 14.44'	93 / 3.05'	48.8 / 1.60'	12.1 / 13.4	49×10×95	644 / 1461	
FN-128A / D46	460 / 15.10'	90 / 2.95'	48.8 / 1.60'	13.5 / 14.8	49×10×92	665 / 1508	
FN-128A50	500 / 16.40'	93 / 3.05'	49 / 1.61'	13.8 / 14.8	49×10×95	644 / 1461	
FN-128A60	600 / 19.69'	101 / 3.31'	49 / 1.61'	15.3 / 16.2	49×10×103	594 / 1347	

FN-129A | FN-129D

JOINT TELESCOPIC LADDER 关节式两用竹节梯

产品特点 PRODUCT FEATURES

- 独特关节设计，新增高强度护件
- 两用型伸缩使用：人字梯/直梯
- 高强度铝合金材质
- 定制全铝紧固件：加大锁扣，承重加强
- Unique hinge design with steel protection
- 2 different functions : step ladders / straight ladders
- Extra thick all-rustproof aluminum construction
- All aluminum fasteners are available



FN-129A

FN-129D


150KG 最大承重 MAX.	AL ALUMINUM	CERTIFICATE GB CHINA STANDARDS	EUROPEAN EN131 STANDARDS	踏板 Steps	伸直高度(cm/ft) Extension height	闭合高度(cm/ft) Close height	A字高度(cm/ft) A height	宽度(cm/ft) width	重量(KG) Weight	包装尺寸(cm/pc) Carton size	装柜量(PCS) Loading Qty	价格 Price
型号 Model No.											20GP / 40HQ	
FN-129A / D32				5+5	320 / 10.50'	82 / 2.69'	150 / 4.92'	48.5 / 1.59'	11.7 / 12.8	84×48×16	465 / 1054	
FN-129A / D38				6+6	380 / 12.47'	85 / 2.79'	175 / 5.74'	48.5 / 1.59'	13.9 / 15	87×49×17	414 / 938	
FN-129A / D50				8+8	500 / 16.40'	92 / 3.02'	225 / 7.38'	48.5 / 1.59'	18.8 / 20	93×49×18	366 / 829	
FN-129A / D56				9+9	560 / 18.37'	96 / 3.15'	260 / 8.53'	48.5 / 1.59'	19.3 / 21	96×49×18	354 / 803	

FN-130A | FN-130D

DOUBLE SIDE TELESCOPIC LADDER 关节式双面伸缩梯

产品特点 PRODUCT FEATURES

- 高强度铝合金材质
- 全铝款增加连杆支撑，加强稳固
- 定制全铝紧固件：加大锁扣，承重加强
- Extra thick all-rustproof aluminum construction
- Extra link arm for firm support
- All aluminum fasteners are available



FN-130A

FN-130D

150KG 最大承重 MAX.	AL ALUMINUM	CERTIFICATE GB CHINA STANDARDS	EUROPEAN EN131 STANDARDS	A字高度(cm/ft) A height	闭合高度(cm/ft) Close height	宽度(cm/ft) width	重量(KG) Weight	包装尺寸(cm/pc) Carton size	装柜量(PCS) Loading Qty	价格 Price
型号 Model No.									20GP / 40HQ	
FN-130A20 / D20				200 / 6.56'	68 / 2.23'	46 / 1.51'	10.2 / 11	70×49×13	673 / 1525	
FN-130A26 / D26				260 / 8.53'	74 / 2.43'	46.8 / 1.54'	13.6 / 14.6	76×49×14	575 / 1304	
FN-130A32 / D32				320 / 10.50'	81 / 2.66'	47.8 / 1.57'	18.6 / 19.7	82×49×16	467 / 1058	
FN-130A38 / D38				380 / 12.47'	87 / 2.85'	48.5 / 1.59'	20 / 21	82×49×16	435 / 986	

FN-136A

ALUMINUM TRIPOD LADDER 铝合金三脚园林梯



FN-136A-8



双铆钉设计
(美国版) 机械旋压铆接
(US) mechanical spin riveting



安全踏板：作业时请不要超过次踏板
Do not stand on or above this step



1000KG+

适用各种不同地形，梯脚防滑处理，更契合泥土等户外环境。
每一级增加加固片，使梯具能承受1000kg以上重力
(为了安全，不建议超负荷使用)。

Stable tripod design, perfect for cutting tall hedges.
Adjustable 3rd leg for slopes and steps
Braces for each steps provide more than 1000kg strength
For safety, do not overload



75mm

150KG
最大承重
MAX.

30cm
踏板间距
Step space

ANSI
A14.5
MEETS OR
EXCEEDS
REQUIREMENTS
OF AMERICAN NATIONAL
STANDARDS INSTITUTE

型号 Model No.	踏板数 Steps	闭合高度(cm/ft) Close height	工作高度-站人(cm/ft) Working height	天板尺寸(cm) Topper size	底部宽度(cm/ft) Bottom width	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty	价格 Price
FN-136A6	6	180/5.9'	290/9.51'	28×9	85/2.79'	185*85*13	325/750	
FN-136A8	8	240/7.87'	350/11.48'	28×9	95/3.12'	245*95*15	180/480	
FN-136A10	10	300/9.84'	410/13.45'	28×9	105/3.44'	305*105*15	80 /340	
FN-136A12	12	360/11.81'	470/15.42'	28×9	115/3.77'	365*115*13		

FN-138A

ALUMINUM TRIPOD LADDER 铝合金三脚园林梯



FN-138A10

- 采用6063航空铝合金，坚固耐腐蚀
6063 aviation aluminum alloy, strong corrosion resistance
- 一体冲压梯脚，抓地力强
Integrated stamping ladder foot, strong grip
- 可调节链条，适应各种环境
Adjustable chain to adapt to various environments
- 全人工氩弧焊，稳固安全
Full artificial argon arc welding, stable and safe
- 升级版防滑踏板
Upgraded non-slip pedal



1000KG+

适用各种不同地形，梯脚防滑处理，更契合泥土等户外环境。
每一级增加加固片，使梯具能承受1000kg以上重力
(为了安全，不建议超负荷使用)。

Stable tripod design, perfect for cutting tall hedges.
Adjustable 3rd leg for slopes and steps
Braces for each steps provide more than 1000kg strength
For safety, do not overload



150KG
最大承重
MAX.

30cm
踏板间距
Step space

ANSI
A14.5
MEETS OR EXCEEDS REQUIREMENTS OF AMERICAN NATIONAL STANDARDS INSTITUTE



型号 Model No.	踏板数 Steps	闭合高度(cm/ft) Close height	工作高度-站人(cm/ft) Working height	天板尺寸(cm) Topper size	底部宽度(cm/ft) Bottom width	重量(KG) Weight	装柜量(PCS) Loading Qty	价格 Price
FN-138A5	5	180/5.9'	300/9.84'	40*27	85	6.15	330	
FN-138A7	7	240/7.9'	350/11.48'	40*27	95	8.35	240	
FN-138A9	9	300/9.8'	410/13.45'	40*27	95	10.1	190	
FN-138A12	12	400/13.2'	510/16.72'	40*27	105	14.8	120	

FN-115A

ALUMINUM MULTIPURPOSE LADDER A 铝合金多功能直脚梯


产品特点 PRODUCT FEATURES

- 多功能变换作业，适合各种工作状态
- 大关节
- 扳手套胶、开关在外，易于操作
- 关节内镶片设计互锁互套强性牢固
- 大横脚
- 横脚型材加大加长加粗，强壮刚性
- 胶脚采用 PP 和 TPO 两种材质，强度与防滑共存
- 穿透式涨牙翻铆柳接工艺



- Adjustable hinge design for multi-use
- Bigger hinges
- Easy visual check on hinge
- Robust steel hinge
- Bigger base bar
- Extra base bar for firm support
- PP+TPO slip-resistant foot
- Swaged connection

MULTI-PURPOSE



FN-115A4×4



A4×4



A4×3



半黑款
Half black style



全黑款
All black style



产品可以独立配套铁板

关节可配颜色

材料颜色可以选配

Accessories: Platform plates.
Different colors are available.



选配/ACCESSORIES



定制辅助支撑 / AUXILIARY SUPPORT



选配/ACCESSORIES

150KG
最大承重
MAX.

28cm
踏板间距
Step space

型号 Model No.	踏板 Total steps	伸直高度(cm/ft) Extension height	A字高度(cm/ft) A height	平台高度(cm/ft) Scaffolding height	重量(KG) Weight	包装尺寸(cm/pc) Carton size	装柜量(PCS) Loading Qty	价格 Price
FN-115A4×2	8	234 / 7.68'	121 / 4.00'	69 / 2.26'	11	36×26×68	466 / 1133	
FN-115A4×3	12	346 / 11.35'	170 / 5.58'	94 / 3.08'	12.1	36×26×94	327 / 750	
FN-115A4×4	16	458 / 15.03'	223 / 7.32'	119 / 3.90'	13.8	36×26×125	241 / 586	
FN-115A4×5	20	570 / 18.70'	278 / 9.12'	-	15.2	36×26×152	197 / 478	
FN-115A4×6	24	682 / 22.38'	328 / 10.76'	-	17.2	36×26×180	167 / 406	
FN-115A4×7	28	794 / 26.05'	380 / 12.47'	-	19.1	36×26×208	145 / 350	

FN-113 A | FN-113B

ALUMINUM FOLDING LADDER A 铝合金多功能两用直脚梯



150KG
最大承重
MAX.

28cm
踏板间距
Step space

型号 Model No.	踏板 Total steps	伸直高度(cm/ft) Extension height	A字高度(cm/ft) A height	底部跨度(cm/ft) Span width	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty	价格 Price
FN-113A2×5	5+5	294 / 9.65'	146 / 4.79'	97 / 3.18'	7.2	152×35×13	466 / 1097	
FN-113A2×6	6+6	350 / 11.48'	172 / 5.64'	112 / 3.67'	8.1	180×35×13	393 / 926	
FN-113A2×7	7+7	406 / 13.32'	198 / 6.50'	128 / 4.20'	8.9	208×35×13	340 / 802	
FN-113A2×8	8+8	462 / 15.16'	224 / 7.35'	144 / 4.72'	9.8	236×35×13	300 / 707	
FN-113A2×9	9+9	518 / 16.99'	250 / 8.20'	160 / 5.25'	10.7	264×35×13	268 / 632	
FN-113A2×10	10+10	574 / 18.83'	276 / 9.06'	176 / 5.77'	11.5	292×35×13	242 / 571	
FN-113A2×11	11+11	630 / 20.67'	302 / 9.91'	192 / 6.30'	12.3	320×35×13	221 / 521	



FN-113A2*6

- 可定制双横脚
 - 材料颜色可以选配
 - 关节可以选色
 - 脚垫颜色可选配
- Different colors / Non-slip feet / joints are available.



FN-113B2*6

- 关节可以选色
 - 材料颜色可以选配
- Different colors are available.

ALUMINUM FOLDING LADDER B 铝合金多功能两用弯脚梯



150KG
最大承重
MAX.

28cm
踏板间距
Step space

型号 Model No.	踏板 Steps	伸直高度(cm/ft) Extension height	A字高度(cm/ft) A height	底部跨度(cm/ft) Span width	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty	价格 Price
FN-113B2×5	5+5	306 / 10.04'	150 / 4.92'	97 / 3.18'	6.8	158×49×13	361 / 849	
FN-113B2×6	6+6	362 / 11.88'	176 / 5.77'	112 / 3.67'	7.6	186×49×13	306 / 722	
FN-113B2×7	7+7	418 / 13.71'	202 / 6.63'	128 / 4.20'	8.5	214×49×13	266 / 627	
FN-113B2×8	8+8	474 / 15.55'	228 / 7.48'	144 / 4.72'	9.3	242×49×13	235 / 555	
FN-113B2×9	9+9	530 / 17.39'	254 / 8.33'	160 / 5.25'	10.1	270×49×13	211 / 497	
FN-113B2×10	10+10	586 / 19.23'	280 / 9.19'	176 / 5.77'	11	298×49×13	191 / 450	
FN-113B2×11	11+11	642 / 21.06'	306 / 10.04'	192 / 6.30'	11.9	326×49×13	175 / 412	

ALUMINUM MULTIPURPOSE LADDER B 铝合金多功能弯脚梯

产品特点 PRODUCT FEATURES



- 多功能变换作业，适合各种工作状态
- 大关节
扳手套胶、开关在外，易于操作
关节内镶片设计互锁互套强度牢固
- 穿透式涨牙翻铆铆接工艺
- 外八脚独特的折弯工艺



- Adjustable hinge design for multi-use
- Bigger hinges
Easy visual check on hinge
Robust steel hinge
- Swaged connection
- Extra wide flared bottom for firm support

MULTI-PURPOSE



选配/ACCESSORIES



B4×4



B4×3



B4×3
Platform type



49 cm


FN-115B4×3

产品可以独立配套铁板
关节可配颜色
材料颜色可以选配


Accessories: Platform plates.
Different colors are available.

150KG
最大承重
MAX.

28cm
踏板间距
Step space



选配/ACCESSORIES



选配/ACCESSORIES


型号 Model No.	踏板 Total steps	伸直高度(cm/ft) Extension height	A字高度(cm/ft) A height	平台高度(cm/ft) Scaffolding height	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty	价格 Price
FN-115B4×2	8	250 / 8.20'	129 / 4.23'	72 / 2.36'	10.1	49×26×74	371 / 842	
FN-115B4×3	12	362 / 11.88'	178 / 5.84'	100 / 3.28'	11.6	49×26×102	269 / 611	
FN-115B2×3+2×4	14	418 / 13.71'	204 / 6.69'	128 / 4.20'	12.5	49×26×130	211 / 479	
FN-115B4×4	16	474 / 15.55'	230 / 7.55'	128 / 4.20'	13.3	49×26×130	211 / 479	
FN-115B4×5	20	586 / 19.23'	285 / 9.35'	-	14.8	49×26×158	174 / 394	
FN-115B4×6	24	698 / 22.90'	335 / 10.99'	-	16.8	49×26×186	253 / 573	
FN-115B4×7	28	810 / 26.57'	385 / 12.63'	-	21	49×26×214	128 / 291	



ALUMINUM SINGLE SIDE LADDER (STEP LADDER) 铝合金单侧梯

产品特点 PRODUCT FEATURES

- 工具托盘：超强韧性尼龙材料
支持选购不同颜色（彰显产品特性）
- 铆接应用：高强度不锈钢钉-机械铆接
- 加宽人性设计防滑踏板
- 超强铝合金材料
- 加强铝合金外框，内配防滑pp塑料脚垫
- Convenient tray for holding tools
Different color is available
- High strength riveted connection step
- Comfortable anti-slip step
- Extra thick all-rustproof aluminum construction
- PP slip-resistant foot pad



全铝防滑梯顶
Slip-resistant aluminum topper



选配 OPTIONAL
辅助托盘
Work tray

底部加固片
Brace for stronger support



支持选购不同颜色：蓝，黄，橙，黑
Blue, yellow, orange, black are available



双铆钉设计
(美国版) 机械旋压铆接
(US) mechanical spin riveting


FN-106C5

FN-106B6

FN-106B6

150KG
最大承重
MAX.

30cm
踏板间距
Step space



型号 Model No.	踏板数 Steps	闭合高度(cm/ft) Close height	工作高度(cm/ft) Working height	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty	价格 Price
FN-106B / C 5	5	150 / 4.92'	270 / 8.86'	6.9	155 x 50 x 15	320 / 754	
FN-106B / C 6	6	180 / 5.91'	300 / 9.84'	8.4	185 x 53 x 15	252 / 594	
FN-106B / C 7	7	210 / 6.89'	330 / 10.83'	9.7	215 x 57 x 15	205 / 483	
FN-106B / C 8	8	240 / 7.87'	360 / 11.81'	11.5	245 x 61 x 15	170 / 401	
FN-106B / C9	9	270 / 8.86'	390 / 12.80'	12.9	275 x 64 x 15	146 / 343	
FN-106B / C 10	10	300 / 9.84'	420 / 13.78'	14.6	305 x 68 x 15	126 / 298	
FN-106B / C 11	11	330 / 10.83'	450 / 14.76'	16.1	335 x 72 x 15	111 / 261	
FN-106B / C 12	12	360 / 11.81'	480 / 15.75'	17.5	365 x 75 x 15	95 / 223	
FN-106B / C 14	14	420 / 13.78'	540 / 17.72'	20.6	425 x 81 x 15	76 / 179	

ALUMINUM WALKING STEP LADDER 铝合金行走梯/马梯

产品特点 PRODUCT FEATURES

- 独特的设计理念，梯子行走作业
当人在梯子上面作业的时候，可以自如行走，
节省工作上下梯作业时间，有效提高效率
- 增加工具兜设计，放置储存临时工具螺丝
- 采用高强度铝合金材质
- 应用铝合金焊接工艺，稳固牢靠
- 专用尼龙布带
- 取代简易木梯，更安全，牢固，耐用，结实，轻便



- Smart design "walking ladder"
Faster operation, easy moving
- A Convenient pocket for holding tools
- Extra thick aluminum construction
- Excellent welded connection
- Special nylon belt
- Safety and durable

踏板型材可选
Step profile is optional



STEP STYLE A



STEP STYLE B



可以走的梯子
WALKING WITH LADDER

站人踏板加强加固设计

The pedal of the station is designed to strengthen the reinforcement

尼龙织布工具兜，作业更方便

Pocket for holding tools



置物架
Shelf Rack



FN-123A5



FN-123T5

增加辅助支臂

Brackets for placing materials



150KG
最大承重
MAX.

33cm
踏板间距
Step space

型号
Model No.

踏板数
Steps

闭合高度(cm/ft)
Close height

重量(KG)
Weight

包装尺寸(cm/pc)
Packing size

装柜量(PCS)
Loading Qty

价格
Price

型号 Model No.	踏板数 Steps	闭合高度(cm/ft) Close height	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty	价格 Price
FN-123A4	4+4	140 / 4.59'	4.3	140×55×11	354 / 838	
FN-123A5	5+5	170 / 5.58'	5.5	170×59×11	302 / 734	
FN-123A6	6+6	200 / 6.56'	6.5	200×63×11	247 / 600	
FN-123A7	7+7	240 / 7.87'	7.5	240×68×11	196 / 476	
FN-123A8	8+8	270 / 8.86'	8.3	270×72×11	140 / 332	
FN-123A9	9+9	300 / 9.84'	9.3	300×75×11	121 / 287	



FN-101A | FN-101T

ALUMINUM A STEP LADDER

铝合金A型人字梯

产品特点 PRODUCT FEATURES

- 铝合金防滑踏板
- 固定橡胶防滑脚
- 高强度铝合金梯帽
- Aluminum anti-slip step
- Riveted slip-resistant rubber foot
- Extra thick aluminum topper



FN-101A 双侧梯



FN-101T 单侧梯

型号 Model No.	踏板数 Steps	闭合高度 (cm/ft) Height	包装尺寸 (cm/pc) Packing size	装柜量 (PCS) Loading Qty
FN-101A4	4+4	100 / 3.28'	100 × 40 × 15	538 / 1219
FN-101A5	5+5	125 / 4.10'	125 × 43 × 15	413 / 936
FN-101A6	6+6	150 / 4.92'	150 × 46 × 15	309 / 713
FN-101A7	7+7	175 / 5.74'	175 × 49 × 15	265 / 611
FN-101A8	8+8	200 / 6.56'	200 × 52 × 15	232 / 535
FN-101A9	9+9	225 / 7.38'	225 × 55 × 15	206 / 475
FN-101A10	10+10	250 / 8.20'	250 × 58 × 15	185 / 428
FN-101A11	11+11	275 / 9.02'	275 × 61 × 15	168 / 389
FN-101A12	12+12	300 / 9.84'	300 × 64 × 15	154 / 356

可定制散装款产品

CKD (bulk) products are available



型号 Model No.	踏板数 Steps	闭合高度 (cm/ft) Height	包装尺寸 (cm/pc) Packing size	装柜量 (PCS) Loading Qty
FN-101T4	4	100 / 3.28'	100 × 40 × 12	581 / 1411
FN-101T5	5	125 / 4.10'	125 × 43 × 12	466 / 1133
FN-101T6	6	150 / 4.92'	150 × 46 × 12	388 / 944
FN-101T7	7	175 / 5.74'	175 × 49 × 12	333 / 809
FN-101T8	8	200 / 6.56'	200 × 52 × 12	291 / 708


FN-103A | 103B | 103C | 103N

ALUMINUM DOUBLE SIDE A LADDER (HEAVY DUTY STEP LADDER)


铝合金A型工程人字梯

产品特点 PRODUCT FEATURES

- 铝合金防滑踏板
- 固定橡胶防滑脚
- 梯柱踏板链接采用加强加固三角片
- 高强度铝合金梯帽
- Aluminum anti-slip step
- Riveted slip-resistant rubber foot
- Steel step brace
- Extra thick aluminum topper



8 STEP



散装配件 CKD



A TYPE

FN-103A 特厚工程型梯



B TYPE

FN-103B 特厚人字型梯



C TYPE

FN-103C 中厚人字型梯



N TYPE

FN-103N 加厚优等型梯

可定制散装款产品

CKD (bulk) products are available



150 KG
最大承重
MAX.

25 cm
踏板间距
Step space




型号 Model No.	踏板数 Total steps	闭合高度(cm/ft) Height	底部宽度(cm/ft) Bottom width
FN-103A3	3+3	75 / 2.46'	38 / 1.25'
FN-103A4	4+4	100 / 3.28'	41 / 1.35'
FN-103A5	5+5	125 / 4.10'	44 / 1.44'
FN-103A6	6+6	150 / 4.92'	47 / 1.54'
FN-103A7	7+7	175 / 5.74'	50 / 1.64'
FN-103A8	8+8	200 / 6.56'	53 / 1.74'
FN-103A9	9+9	225 / 7.38'	56 / 1.84'
FN-103A10	10+10	250 / 8.20'	59 / 1.94'
FN-103A11	11+11	275 / 9.02'	62 / 2.03'
FN-103A12	12+12	300 / 9.84'	65 / 2.13'
FN-103A13	13+13	325 / 10.66'	68 / 2.23'

型号 Model No.	踏板数 Steps	闭合高度(cm/ft) Height	底部宽度(cm/ft) Bottom width
FN-103A14	14+14	350 / 11.48'	71 / 2.33'
FN-103A15	15+15	375 / 12.30'	74 / 2.43'
FN-103A16	16+16	400 / 13.12'	77 / 2.53'
FN-103A17	17+17	425 / 13.94'	80 / 2.62'
FN-103A18	18+18	450 / 14.76'	83 / 2.72'
FN-103A19	19+19	475 / 15.58'	86 / 2.82'
FN-103A20	20+20	500 / 16.40'	89 / 2.92'
FN-103A21	21+21	525 / 17.22'	92 / 3.02'
FN-103A22	22+22	550 / 18.04'	95 / 3.12'
FN-103A23	23+23	575 / 18.86'	98 / 3.22'
FN-103A24	24+24	600 / 19.69'	101 / 3.31'


ALUMINUM EXTENSION SINGLE SIDE LADDER 铝合金单面伸缩梯

产品特点 PRODUCT FEATURES


- 专利设计可折合式斜撑脚
- 伸缩灵活自动式锁扣
- 铝合金防滑踏板
- 梯脚采用橡胶防滑脚
- 耐磨韧性材料消防专用绳
- Foldable supporters with patented design
- Heavy duty extruded step locks are spring loaded to operate smoothly
- Aluminum anti-slip step
- Slip-resistant rubber foot
- Smooth operating pulley with polypropylene rope



单层槽型结构
Single-layer groove design



双层专利设计, 2层结构受力更稳定
Double-layer patented design, more stronger



FN-104A5



FN-104A5

最高可达12米!
UP TO 12 METERS!
相当于4层楼高

Safe supporter
可定制安全斜撑
选配 Optional



150KG
最大承重
MAX.

30
踏板间距
Step space

全梯踏板焊接工艺



型号 Model No.	踏板数 Total steps	伸直高度(cm/ft) Extension height	闭合高度(cm/ft) Close height	包装尺寸(cm/pc) Packing size	价格 Price
FN-104A4	7+7	400 / 13.12'	240 / 7.87'	240×40×10	
FN-104A5	9+9	500 / 16.40'	285 / 9.35'	285×40×10	
FN-104A6	11+11	600 / 19.69'	350 / 11.48'	350×40×10	
FN-104A7	13+13	700 / 22.97'	415 / 13.62'	415×40×10	
FN-104A8	15+15	800 / 26.25'	470 / 15.42'	470×40×10	
FN-104A9	17+17	900 / 29.53'	520 / 17.06'	520×40×10	
FN-104A10	19+19	1000 / 32.81'	570 / 18.70'	570×40×10	
FN-104A11	20+20	1100 / 36.09'	620 / 20.34'	620×40×10	
FN-104A12	22+22	1200 / 39.37'	675 / 22.15'	675×40×10	

FN-110A | FN-110D

ALUMINUM EXTENSION LADDER

铝合金云梯

产品特点 PRODUCT FEATURES



- 随意拆装拼合使用（仅限手控设计）
- 铝合金防滑踏板 “O” 和 “D”
- 定位牢固橡胶防滑脚
- 超强铝合金材质
- 采用机械高强度穿透式旋压铆接
- 选购两不同导牙（手控/绳控）



- DIY extension ladder (hand-control only)
- O-shape and D-shape aluminum anti-slip step
- Riveted slip-resistanl foot
- Extra thick all-rustproof aluminum construction
- Swaged connection
- 2 types lock for hand/rope control



A9 A2x9 A3x9
FN-110A O型 (O-RUNG)



选配 Optional

Hooks are available
定制挂钩



O型踏板 O rung



D形管 D rung



D8 D2x8 D3x8
FN-110D D型 (D-RUNG)



-110A/O-rung



-110D/D-rung



30cm
踏板间距
Step space

Height (cm) 高度	级数 Step	型号 Model No.	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Single section	FN-110A	210	240	270	300	330	360	390	420	450	480	510	540	570	600
	Double sections	FN-110A 2x	368	428	488	548	608	668	728	788	848	908	968	1028	X	X
	Triple sections	FN-110A 3x	700	790	880	970	1060	1150	1240	X	X	X	X	X	X	X
	Single section	FN-110D	210	240	270	300	330	360	390	420	450	480	510	540	570	600
	Double sections	FN-110D 2x	368	428	488	548	608	668	728	788	848	908	968	1028	X	X
	Triple sections	FN-110D 3x	670	760	850	940	1030	1120	1210	X	X	X	X	X	X	X

For example : FN-110A3x6 ▲ close height : 210cm ▲ 2section height : 368cm ▲ 3section height : 700cm

FN-117A | FN-117D

ALUMINUM EXTENSION LADDER(2SECTIONS) 铝合金两联伸缩梯

产品特点 PRODUCT FEATURES

- 高强度铝合金材质
- 穿透式涨牙翻铆柳接工艺
- 加强硬度铝合金防滑踏板
- 高强度铝合金压铸自动锁扣
- 可任意调整角度 金属橡胶防滑活动脚
- 可选购 "D" 型踏板, "口" 型踏板
- Extra thick all-rustproof aluminum construction
- High strength swaged connection step
- Aluminum anti-slip step
- Heavy duty extruded rung locks are spring loaded to operate smoothly
- Adjustable slip-resistant foot
- D-shape and square step is available



踏板间距 28cm
Step space 28cm

FN-117A2×10



选配 Optional

Safe hook
安全挂钩



方形管
square rung



D形管
D rung



活动脚 - 任意调节角度
Movable foot - adjust any Angle



踏板间距 30cm
Step space 30cm

FN-117D2×10

D款参数详见报价表
Contact us for more details.



可增加护栏及防倾倒装置
Guardrail and anti-tipping device can be added



150KG
最大承重
MAX.

28cm
踏板间距
Step space

30cm
踏板间距
Step space



-117A / square rung



-117D / D-rung




型号 Model No.	踏板 Steps	闭合高度(cm/ft) Close height	两片伸直高度(cm/ft) Extension height (two sections)	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty
FN -117A 2×8	8+8	229 / 7.51'	367 / 12.04'	10.1	230×41×10	318 / 753
FN -117A 2×9	9+9	257 / 8.43'	423 / 13.88'	10.8	258×41×10	284 / 671
FN-117A 2×10	10+10	285 / 9.35'	479 / 15.72'	11.8	286×41×10	256 / 605
FN-117A 2×12	12+12	341 / 11.19'	591 / 19.39'	13.5	342×41×10	214 / 506
FN-117A2×13	13+13	369 / 12.11'	647 / 21.23'	14.3	370×41×10	198 / 468
FN-117A 2×14	14+14	397 / 13.02'	703 / 23.06'	15.5	398×41×10	184 / 435

FN-108A


ALUMINUM EXTENSION DOUBLE SIDE LADDER 铝合金伸缩人字梯

产品特点 PRODUCT FEATURES

- 专利设计可折合式斜撑脚
- 伸缩灵活自动式锁扣
- 铝合金防滑踏板
- 梯脚采用橡胶防滑脚
- 耐磨韧性材料消防专用绳
- Foldable supporters with patented design
- Heavy duty extruded step locks are spring loaded to operate smoothly
- Aluminum anti-slip step
- Slip-resistant rubber foot
- Smooth operating pulley with polypropylene rope



单层槽型结构
Single-layer groove design




双层专利设计, 2层结构受力更稳定
Double-layer patented design, more stronger

最高可达12米!
UP TO 12 METERS!
相当于4层楼高



FN-108A5



FN-108A5



150KG
最大承重
MAX.

30
踏板间距
Step space

全梯踏板焊接工艺



型号 Model No.	踏板 Total steps	工作高度(cm/ft) Extension height	闭合高度(cm/ft) Close height	底部跨度(cm/ft) Span width	斜撑宽度(cm/ft) Width	包装尺寸(cm/pc) Packing size	价格 Price
FN-108A4	(7+8) × 2	400 / 13.12'	240 / 7.87'	214 / 7.02'	128 / 4.20'	240×53.5×18	
FN-108A5	(9+10) × 2	500 / 16.40'	285 / 9.35'	260 / 8.53'	128 / 4.20'	285×53.5×18	
FN-108A6	(11+12) × 2	600 / 19.69'	350 / 11.48'	320 / 10.50'	166 / 5.45'	350×53.5×18	
FN-108A7	(13+14) × 2	700 / 22.97'	415 / 13.62'	370 / 12.14'	166 / 5.45'	415×53.5×18	
FN-108A8	(15+16) × 2	800 / 26.25'	470 / 15.42'	440 / 14.44'	176 / 5.77'	470×53.5×18	
FN-108A9	(17+18) × 2	900 / 29.53'	520 / 17.06'	490 / 16.08'	176 / 5.77'	520×53.5×18	
FN-108A10	(19+20) × 2	1000 / 32.81'	570 / 18.70'	540 / 17.72'	198 / 6.50'	570×53.5×18	
FN-108A11	(20+21) × 2	1100 / 36.09'	620 / 20.34'	570 / 18.70'	214 / 7.02'	620×53.5×18	
FN-108A12	(22+23) × 2	1200 / 39.37'	675 / 22.15'	600 / 19.69'	225 / 7.38'	675×53.5×18	

FN-119S

ALUMINUM FIRE FIGHTING LADDER (2 SECTIONS / 3 SECTIONS)
铝合金两联/三联消防梯

可定制斜撑



选配/ACCESSORIES



UP TO 16 METERS!

最高可达 16 米 !

UP TO 5 FLOORS

相当于 5 层楼高

- 精湛的工艺配合高品质金属用料，使梯具坚实耐用安全更具美观；
- 滑轮抓墙设计，不伤墙体；
- 自动扣锁，保证作业过程更安全；
- 高品质梯身可用于超高处作业，如消防救援、高空作业等，底部斜撑更提高稳定性；
- #119S设计,已获得国家专利#
- Aluminum frame provides a strong, sturdy structure.
- Wheels for smooth extension.
- Heavy duty extruded step locks are spring loaded to operate smoothly.
- Allows you to safely and securely reach high places, suitable for fire escape and training.
- Optional supporter makes ladder more stable.
- #Patented product#.

FN-119S3×16



FN -119S 3 / FN-119S 2

ALUMINUM FIRE FIGHTING LADDER (2 SECTIONS / 3 SECTIONS)

铝合金两联/三联消防梯

产品特点 PRODUCT FEATURES



● 专利产品

- 绳子控制，操作便捷，迅速
- 超强铝合金材料，独特设计型材结构
- 穿透式涨牙翻铆铆接工艺
- 强化超大铝合金整体压铸控制器
- 顶部尼龙材质工业滑轮
- 可选配金属橡胶防滑活动脚 或者 后部支撑架构



● patent products

- Smooth operating pulley with polypropylene rope
- Extra thick all-rustproof aluminum construction
- Heavy duty extruded rung locks are spring loaded to operate smoothly
- Topper wheels help to extension smoothly
- Accessories: adjustable foot, heavy duty supporter



梯具整体伸缩，更方便运输与使用，整体打开最快只需**20秒**

3 sections smart design for easy transport and storage. Only **20** seconds for fully extension.




选配 Optional

Supporter is available
增加定制斜撑



150KG
最大承重
MAX.

28cm
踏板间距
Step space



型号 Model No.	踏板数 Total steps	闭合高度(cm/ft) Close height	2联伸直高度(cm/ft) Extension height (two sections)	3联伸直高度(cm/ft) Extension height (three sections)	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty
FN-119S3 x 9	9+9+9	268 / 8.79'	469 / 15.39'	642 / 21.06'	269×53×21	104 / 224
FN-119S3 x 10	10+10+10	296 / 9.71'	525 / 17.22'	726 / 23.82'	297×53×21	104 / 224
FN-119S3 x 11	11+11+11	324 / 10.63'	581 / 19.06'	810 / 26.57'	325×53×21	52 / 168
FN-119S3 x 12	12+12+12	352 / 11.55'	637 / 20.90'	894 / 29.33'	353×53×21	52 / 168
FN-119S3 x 13	13+13+13	380 / 12.47'	693 / 22.74'	978 / 32.09'	381×53×21	52 / 168
FN-119S3 x 14	14+14+14	408 / 13.39'	749 / 24.57'	1062 / 34.84'	409×53×21	52 / 112
FN-119S3 x 15	15+15+15	436 / 14.30'	805 / 26.41'	1146 / 37.60'	437×53×21	52 / 112
FN-119S3 x 16	16+16+16	464 / 15.22'	833 / 27.33'	1174 / 38.52'	465×53×21	52 / 112
FN-119S3 x 17	17+17+17	492 / 16.14'	889 / 29.17'	1258 / 41.27'	493×53×21	52 / 112
FN-119S3 x 18	18+18+18	520 / 17.06'	945 / 31.00'	1342 / 44.03'	521×53×21	52 / 112
FN-119S3 x 19	19+19+19	548 / 17.98'	1001 / 32.84'	1426 / 46.78'	549×53×21	52 / 112
FN-119S3 x 20	20+20+20	576 / 18.90'	1057 / 34.68'	1510 / 49.54'	577×53×21	52 / 112
FN-119S3 x 21	21+21+21	604 / 19.82'	1113 / 36.52'	1594 / 52.30'	605×53×21	0 / 56

FN-150 A | FN-150 S

型号 Model No.	踏板数 Total steps	伸直高度(cm/ft) Extension height	A字高度(cm/ft) A height	底部宽度(cm/ft) Bottom width	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量 Loading Qty	价格 Price
FN-150A2×5	5+5	300 / 9.84'	145 / 4.76'	45/1.48'	5.8	150×47×13	380 / 861	
FN-150A2×6	6+6	360 / 11.81'	173 / 5.68'	49/1.61'	6.7	180×50×13	305 / 692	
FN-150A2×7	7+7	420 / 13.78'	200 / 6.56'	53/1.74'	7.6	210×53×13	253 / 573	
FN-150A2×8	8+8	480 / 15.75'	230 / 7.55'	57/1.87'	8.5	240×56×13	214 / 484	

ALUMINUM DOUBLE USE LADDER 铝合金直马两用梯

梯级加固片，承重力更强
Step brace for stronger support



FN-150A 2*6

加强双用铰链
Reinforce double use hinge



FN-150S 2*6



FN-150A 2*6



脚部伸缩装置 Ladder leveler

微调（高精微调 2mm 区间），
在坡度不同的场地也可轻松调节。

Visible scale
For uneven surfaces, attic, painting
stairwells and construction.

(0-250mm)

ALUMINUM DOUBLE USE LADDER (ADJUSTABLE TYPE) 铝合金直马两用梯（可调节款）

型号 Model No.	踏板数 Steps	伸直高度(cm/ft) Extension height	A字高度(cm/ft) A height	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量 Loading Qty	价格 Price
FN-150S2×5	5+5	250-310 / 8.20-10.17'	125-145 / 4.10-4.76'	7	133×49×16	317 / 718	
FN-150S2×6	6+6	310-370 / 10.17'-12.14'	150-175 / 4.92-5.74'	8	163×53×16	247 / 561	
FN-150S2×7	7+7	370-430 / 12.14-14.11'	180-205 / 5.91-6.73'	9	193×57×16	200 / 454	
FN-150S2×8	8+8	430-490 / 14.11-16.08'	210-235 / 6.89-7.71'	10	223×61×16	166 / 377	

FN-102A | FN-120S


型号 Model No.	踏板 Steps	闭合高度(cm/ft) Close height	平台高度(cm/ft) Platform height	底部宽度(cm/ft) Bottom width	重量(KG) Weight	包装尺寸(cm/3pcs) Carton size	装柜量(PCS) Loading Qty	价格 Price
FN-102A2	2	94.5 / 3.10'	43.5 / 1.43'	39.5 / 1.30'	2.35	94.5×40×35	1050 / 2380	
FN-102A3	3	125 / 4.10'	65.5 / 2.15'	41.5 / 1.36'	2.7	125×42×35	700 / 1587	
FN-102A4	4	148 / 4.86'	87.5 / 2.87'	43.5 / 1.43'	3.1	148×44×35	525 / 1190	
FN-102A5	5	171 / 5.61'	108 / 3.54'	46 / 1.51'	3.6	171×46×35	420 / 952	
FN-102A6	6	194 / 6.36'	132.5 / 4.35'	48.5 / 1.59'	4.1	194×49×35	350 / 793	
FN-102A7	7	217 / 7.12'	154 / 5.05'	51 / 1.67'	4.6	217×51×35	300 / 680	
FN-102A8	8	241 / 7.91'	173 / 5.68'	53.5 / 1.76'	5.1	241×54×35	262 / 595	
FN-102A9	9	263 / 8.63'	197.5 / 6.48'	56 / 1.84	5.6	263×56×35	233 / 529	

ALUMINUM HOUSEHOLD LADDER 铝合金欧式扶手梯



选配 Optional
Work tray is available
可加装托盘

FN-102A4



选配 Optional
Non-slip pedal
防滑胶条

FN-120S4

型号 Model No.	踏板 Steps	闭合高度(cm/ft) Close height	平台高度(cm/ft) Platform height	底部宽度(cm/ft) Bottom width	重量(KG) Weight	包装尺寸(cm/6pcs) Carton size	价格 Price
FN-120S3	3	123.5 / 4.05'	72 / 2.36'	49 / 1.61'	3.5	132×(35+49.5)×30	
FN-120S4	4	151 / 4.95'	97 / 3.18'	52 / 1.71'	4.8	156×(35+52.5)×30	
FN-120S5	5	176 / 5.77'	122 / 4.00'	55 / 1.80'	5.7	183×(35+55.5)×30	
FN-120S6	6	203 / 6.66'	146.5 / 4.81'	58 / 1.90'	6.8	205×(35+58.5)×30	
FN-120S7	7	229 / 7.51'	171 / 5.61'	61 / 2.00'	7.7	230×(35+61.5)×30	

STAINLESS STEEL HOUSEHOLD LADDER 不锈钢扶手梯

FN-358

ALUMINUM PLATFORM LADDER

铝合金货架梯 / 登高梯

产品特点 PRODUCT FEATURES





■ 产品适用于：货架登高，超市，机械，仓储等。

Products are suitable for: shelf height, supermarkets, machinery, storage and other aspects.



1-9可拆散包装，
颜色相同表示相同型材，
不同颜色表示可拆散型材。
Can be separated into 1-9 parts.
Same profile highlights in same colour.

特点：部件可拆散，但整体骨架已焊接，
便于包装运输，安装较方便。
Mainly structure is welded while
parts are assembled.
Easy for transport and faster install.



■ 平台安全栏，360°全方位保护， 扶手人性弧折弯 Platform safety bar, 360° all-round protection, armrest human arc bending.



■ 铝合金防滑面板，平台增设 安全防滑脚板边保护 Aluminum anti-skid panel, platform with safety anti-skid foot plate edge protection



■ 防倾倒稳定器 (选配) Anti-toppling stabilizer (optional)



■ 单控手拉升降制动设计 Humanized design - step hand - controlled lifting caster design.



焊接+铆接双重保障 Welding and riveting double support

型号 Model No.	踏板数 Steps	踏板深度 (mm) Step Depth	平台尺寸 (mm) Platform Size	平台离地高度 (cm) Platform Height	工作高度 (cm) Working Height	扶手高度 (cm) Handrail Height	重量 (KG) Weight	成品尺寸-含扶手 (cm/pc) Product Size (With Handrail)
FN-358A3	2+1	132	500×500	72	272	105	21.2	W62×L101×H177
FN-358A4	3+1	132	500×500	96	296	105	23.2	W66×L120×H201
FN-358A5	4+1	132	500×500	120	320	105	25.2	W70×L136×H225
FN-358A6	5+1	132	500×500	144	344	105	27.2	W74×L153×H249
FN-358A7	6+1	132	500×500	168	368	105	29.2	W78×L170×H273
FN-358A8	7+1	132	500×500	192	398	105	32.2	W82×L187×H297


FN-118A | FN-118AH

ALUMINUM WORKING PLATFORM LADDER

铝合金洗车工作平台


产品特点 PRODUCT FEATURES

- 防滑台面设计
- 防滑踏板设计
- 加强式铰链设计：内镀锌+静电喷涂
- Anti-slip standing platform
- Anti-slip rung
- Extra folded lock with surface treatment



平台尺寸 $\geq 400\text{mm}$ 可加装围栏
Handrails are available
when platform size larger than 400mm

FN-118P



方便搬运提拉把手设计
Easy for transport.



独特可拆卸式护栏边护设计
安装便捷直拉式设计
围栏两侧采用防踢边工艺
Unique and removable handrail
design. Easy install and operate
Double side toeboard for safety
protection.

FN-118AH

围栏版 (围栏为选配)

Powerful SS corner design,
much more beautiful and safety
拐角加固设计, 直角不锈钢加固块,
贴合平台, 更美观, 更安全



FN-118A

标配版

30cm 踏板间距 Step space	型号 Model No.	踏板 Total steps	平台高度(cm/ft) Platform height	平台规格(cm) Platform size	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty	价格 Price
150KG 最大承重 MAX.	FN-118A50	2+2	50 / 1.64'	90(L)×30(W)	5.153	92×43×17	461 / 1085	
	FN-118A76	3+3	76 / 2.49'	90(L)×30(W)	6.1	92×43×18	435 / 1025	
	FN-118A100	4+4	100 / 3.28'	100(L)×30(W)	7.05	111×50×19	294 / 692	
	FN-118A120	4+4	120 / 3.93'	120(L)×30(W)	8	122×56×21	216 / 509	
	FN-118A120	4+4	120 / 3.93'	120(L)×40(W)	9	122×66×21	188 / 420	
	FN-118A120	4+4	120 / 3.93'	120(L)×50(W)	10	122×76×21	158 / 359	

围栏 Handrails	型号 Model No.	配套平台规格(cm/ft) Platform size	围栏尺寸(cm) Handrail size	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty	价格 Price
	FN-118P4 - L120	120(L)×40(W)	115(L)×40(W)×100(H)	9	127×110×7.5	286 / 678	
	FN-118P5 - L120	120(L)×50(W)	115(L)×50(W)×100(H)	9.5	127×110×7.5	286 / 678	
	FN-118P6 - L150	150(L)×60(W)	145(L)×60(W)×100(H)	10	157×110×7.5	232 / 548	

FN-152E | FN-152ED

ALUMINUM PLATFORM LADDER 铝合金货架梯

产品特点 PRODUCT FEATURES

- 采用高强度铝合金材质
- 人性化加宽防滑踏板
- 超大防滑平台设计：400*560mm
- 梯脚采用加强铝合金外框，内配防滑pp塑料脚垫
- 铆接应用：高强度不锈钢钉-机械铆接
- 活动自如的安全防护链条



- Extra thick aluminum construction
- Aluminum comfortable anti-slip step
- Extra anti-slip platform : 400*560mm
- PP slip-resistant foot with aluminum outer frame high strength riveted step
- Safety chain design

选配组件：

- 防踢板设计（拆卸安装方便）：
有效防止作业时，脚滑倒或工具掉落。
- 整体式扶手设计（可拆卸）：
在使用的时候攀爬更自如。
- 内侧结构式连杆，连体把手，收合自如
- 后侧可移动搬运滑轮
- 安全网

ACCESSORIES：

- Removable toe-board for safety work
- Removable all-aluminum handrail design
- Insert link arm for firm support
- Wheels for easy transport
- Safety net

平台尺寸：
400×560mm

加强H型拉杆结构
增加扶手功能




FN-152E5



FN-152ED5


▼ 下面为选配 Optional：





可加装扶手
handrails



可加装防护网
safety net



可加装踢脚板
toe board



选配/ACCESSORIES

型号 Model No.	踏板数 Total steps	平台尺寸(cm) Platform Size	平台高度(cm/ft) Platform height	闭合高度(cm/ft) Close height	底部跨度(cm/ft) Bottom Length	护栏高度(cm/ft) Guardrail height	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty
FN-152E3/ED3	2+1	40 x 56	86 / 2.82'	190 / 6.23'	105 / 3.44'	100 / 3.28'	190×68×15	188 / 445
FN-152E4/ED4	3+1	40 x 56	115 / 3.77'	220 / 7.22'	125 / 4.10'	100 / 3.28'	220×71×15	154 / 365
FN-152E5/ED5	4+1	40 x 56	142 / 4.66'	250 / 8.20'	145 / 4.76'	100 / 3.28'	250×74×15	129 / 305
FN-152E6/ED6	5+1	40 x 56	170 / 5.58'	280 / 9.19'	165 / 5.41'	100 / 3.28'	280×78×15	110 / 260
FN-152E7/ED7	6+1	40 x 56	198 / 6.50'	310 / 10.17'	185 / 6.07'	100 / 3.28'	310×81×15	95 / 225
FN-152E8/ED8	7+1	40 x 56	226 / 7.41'	340 / 11.15'	205 / 6.73'	100 / 3.28'	340×85×15	83 / 196
FN-152E9/ED9	8+1	40 x 56	254 / 8.33'	370 / 12.14'	225 / 7.38'	100 / 3.28'	370×89×15	73 / 173
FN-152E10/ED10	9+1	40 x 56	282 / 9.25'	400 / 13.12'	245 / 8.04'	100 / 3.28'	400×92×15	65 / 154
FN-152E12/ED12	11+1	40 x 56	338 / 11.09'	460 / 15.09'	285 / 9.35'	100 / 3.28'	460×99×15	58 / 138

FN -252E | FN -252F

LIGHTWEIGHT - ALUMINUM (FIBERGLASS) PLATFORM LADDER

轻型 - 铝合金货架梯

产品特点 PRODUCT FEATURES


- 产品采用高强度铝合金材质
- 踏板与立柱使用轻量化设计，便于操作人员搬运移动
- 超大防滑台面设计：400x560mm，平台配合安全插销装置并增设踢脚板，作业更安全
- 增设短式扶手装置 与 安全防护网装置
- 安全防滑式胶脚设计
- 材料可选：玻璃钢、铝合金



- Extra thick aluminum construction
- Light weight for easy transport
- Extra anti-slip platform : 400x560mm
- Shorter handrail and safety net
- Slip-resistant feet
- Material is optional: aluminum \ fiberglass




▼ 下面为选配 Optional :



可加装扶手
handrails



可加装防护网
safety net



可加装踢脚板
toe board

平台尺寸：
400x560mm



FN-252ED4



FN-252FD4

35000V
耐电压 3.5万伏特



150KG
最大承重
MAX.

30cm
踏板间距
Step space

型号 Model No.	踏板 Steps	平台尺寸(cm) Platform Size	平台高度(cm/ft) Platform height	闭合高度(cm/ft) Close height	底部跨度(cm/ft) Bottom Length	重量(KG)(玻纤) Weight (FIB.)	重量(KG)(铝合金) Weight (ALU.)	包装尺寸(cm/pc) Packing size
FN -252ED3/FD3	2+1	40x56	86/2.82'	180/5.91'	109/3.58'	14.5	14	190x68x12
FN -252ED4/FD4	3+1	40x56	115/3.77'	210/6.89'	127/4.17'	15	14.5	220x71x12
FN -252ED5/FD5	4+1	40x56	142/4.66'	240/7.87'	146/4.79'	16.5	15.8	250x75x12
FN -252ED6/FD6	5+1	40x56	170/5.58'	270/8.86'	165/5.41'	18	17.5	280x78x12
FN -252ED7/FD7	6+1	40x56	198/6.50'	300/9.84'	184/6.04'	19.5	18.5	310x81x12

FN-151D

ALUMINUM PLATFORM LADDER

铝合金货架梯 / 登高梯

产品特点 PRODUCT FEATURES

主体框架：

- 使用高强度铝合金槽型钢结构设计扶手：
- 铝合金防滑圆管 $\varnothing 25 \times 2.3 \text{mm}$ ，人性圆弧折弯。
- 平台：
- 铝合金花纹板防滑设计底部使用万向滑轮
- 带刹车制动：2个，定向滑轮：2个
- 拆卸式扶手，便于运输包装。整体焊接式，稳固牢靠。
- 螺丝紧固件全部采用：S304不锈钢。
- 广泛使用于：超市，厂房，仓储等方面。



Structure :

- High-strength aluminum groove structure
- Handrails: $\varnothing 25 \times 2.3 \text{mm}$ tube
- Removable handrail for easy transport
- Non-slip platform design
- SS304 screws and fasteners
- Widely used in supermarket and factories



可定制配套登车平台
Boarding platform is available

异形定制/DIY



装置 ①



装置 ②



装置 ③

可定制防倾倒装置

Anti-tipping device can be customized




FN-151D 150



平台尺寸可以定制
Different platform size is available

平台离地高度可以定制
Different platform height is available



FN-151CKD

梯具运输时可自行拆装，组装方便
CKD type is easy for transport



350 KG
最大承重
MAX.

25 cm
踏板间距
Step space



整体可拆装，更方便运输
The whole can be disassembled,
more convenient transportation



定制平台/ Custom Platform

型号 Model No.	踏板数 Steps	产品宽度(cm) Width	平台离地高度(cm) Platform height	顶部平台尺寸(cm) Platform size	踏板尺寸(cm) Step size	扶手高度(cm) Handrail height	底部跨度 Length	重量(KG) Weight	包装尺寸(cm/pc) Packing size
FN-151D 100	3+1	60	100	60×40	60×20	100	120	35	60×120×100
FN-151D 130	4+1	60	130	60×40	60×20	100	150	40	60×150×130
FN-151D 150	5+1	60	150	60×40	60×20	100	180	45	60×180×150
FN-151D 180	6+1	60	180	60×60	60×20	100	200	45	60×200×180

FN-106A


ALUMINUM DOUBLE SIDE LADDER (STEP LADDER)

铝合金双侧梯

产品特点 PRODUCT FEATURES

- 超强铝合金合页顶板
- 采用高强度不锈钢钉机械铆接
- 加宽人性化设计防滑踏板
- 超强铝合金材料
- 加强铝合金外框，内配防滑pp塑料脚垫
- 2种不同设计的顶板

- Heavy duty aluminum topper
- High strength riveted connection step
- Comfortable wider step
- Extra thick all-rustproof aluminum construction
- PP slip-resistant foot pad
- 2 types aluminum topper



型号 Model No.	踏板数 Steps	闭合高度(cm/ft) Close height	工作高度(cm/ft) Working height	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty	价格 Price
FN-106A5	5+5	150 / 4.92'	270 / 8.86'	9.9	155 × 50 × 22	213 / 502	
FN-106A6	6+6	180 / 5.91'	300 / 9.84'	11.5	185 × 53 × 22	165 / 399	
FN-106A7	7+7	210 / 6.89'	330 / 10.83'	13.4	215 × 57 × 22	132 / 324	
FN-106A8	8+8	240 / 7.87'	360 / 11.81'	15.4	245 × 61 × 22	109 / 276	
FN-106A9	9+9	270 / 8.86'	390 / 12.80'	17.3	275 × 64 × 22	91 / 224	
FN-106A10	10+10	300 / 9.84'	420 / 13.78'	19.1	305 × 68 × 22	78 / 184	
FN-106A11	11+11	330 / 10.83'	450 / 14.76'	21.2	335 × 71 × 22	68 / 160	
FN-106A12	12+12	360 / 11.81'	480 / 15.75'	23.6	365 × 75 × 22	59 / 146	
FN-106A14	14+14	420 / 13.78'	540 / 17.72'	27.5	425 × 82 × 22	47 / 111	
FN-106A16	16+16	480 / 15.75'	600 / 19.69'	31.5	485 × 89 × 22	38 / 91	
FN-106A18	18+18	540 / 17.72'	660 / 21.65'	35.3	545 × 96 × 22	32 / 75	
FN-106A20	20+20	600 / 19.69'	720 / 23.62'	39.5	605 × 103 × 22	0 / 63	

FN-127D2 | FN-227D2

FIBERGLASS EXTENSION LADDER

玻璃钢绝缘伸缩梯

产品特点 PRODUCT FEATURES

- 主体结构采用玻璃纤维纤维绝缘材质
安全，耐腐蚀，抗老化
- 加强硬度铝合金防滑踏板
- 采用机械高强度穿透式旋压铆接
- 高强度铝合金压铸自动锁扣
双锁扣保险设计，安全稳固
- 顶部设计全铝滑轨
- 可任意调整角度 金属橡胶防滑活动脚
- 可加配挂墙钩和防滑带
- Extra thick fiberglass construction
Excellent impact/corrosion/abrasion resistance
- Aluminum anti-slip step
- High strength swaged connection step
Heavy Duty extruded rung locks are spring loaded to operate smoothly
- All-aluminum shield bracket
- Adjustable slip-resistant foot
- Accessories: hook and belt



导牙
Big lock



防坠钩
Safe lock



活动脚 - 任意调节角度
Movable foot - adjust any Angle




可定制后支撑
Optional supporter



任意调节高度
Height adjustment



落差使用
Divide using



FN-127D2 × 12

FN-227D2 × 12

FN-217D2 × 12

材料颜色可以选配
Different colors are available.

150 KG
最大承重
MAX.

30 cm
踏板间距
Step space

FRP
FIBER REINFORCED
PLASTICS

FOR WORKING
AROUND
ELECTRICITY

CERTIFICATE
GB
CHINA STANDARDS

EUROPEAN
EN131
STANDARDS

ANSI
American National
Standards Institute

35000V
耐电压 3.5万伏特

型号 Model No.	踏板数 Steps	闭合高度(cm/ft) Close height	2联伸直高度(cm/ft) Extension height (two sections)	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty
FN-127D2×8	8+8	265 / 8.69'	410 / 13.45'	16.5	261 × 47 × 17	160 / 359
FN-127D2×10	10+10	325 / 10.66'	530 / 17.39'	19.8	321 × 47 × 17	80 / 250
FN-127D2×12	12+12	385 / 12.63'	650 / 21.33'	23.2	381 × 47 × 17	80 / 240
FN-127D2×14	14+14	445 / 14.60'	770 / 25.26'	25.5	441 × 47 × 17	80 / 160
FN-127D2×16	16+16	505 / 16.57'	890 / 29.20'	29.5	501 × 47 × 17	80 / 160
FN-127D2×18	18+18	565 / 18.54'	1010 / 33.14'	32.5	561 × 47 × 17	80 / 160
FN-127D2×20	20+20	625 / 20.51'	1130 / 37.07'	34.5	621 × 47 × 17	0 / 80
FN-127D2×21	21+21	655 / 31.49'	1190 / 39.04'	39.8	651 × 47 × 17	0 / 80

FIBERGLASS EXTENSION LADDER

玻璃钢绝缘伸缩梯

产品特点 PRODUCT FEATURES

- 主体结构采用玻璃钢纤维绝缘材质
安全，耐腐蚀，抗老化
- 加强硬度铝合金防滑踏板
- 采用机械高强度穿透式旋压铆接
- 高强度铝合金压铸自动锁扣
双锁扣保险设计，安全稳固
- 顶部设计全铝滑轨
- 可任意调整角度 金属橡胶防滑活动脚
- 可加配挂墙钩和防滑带
- Extra thick fiberglass construction
Excellent impact/corrosion/abrasion resistance
- Aluminum anti-slip step
- High strength swaged connection step
Heavy Duty extruded rung locks are spring loaded to operate smoothly
- All-aluminum shield bracket
- Adjustable slip-resistant foot
- Accessories: hook and belt



加固踏板支撑 Reinforced pedal support



可定制后支撑 Optional supporter



安全双钩保护 Safety double lock




侧面滑轮组， 避免上落时造成 安全事故 Side pulley block to avoid safety accidents when going up and down



加宽加厚梯柱，稳固耐用，安全升级



加厚



加宽




加宽设计



材料颜色可以选配

Different colors are available.



FN-127W2×14

FN-127W2×16

FN-127W2×14



180 KG
最大承重
MAX.

30 cm
踏板间距
Step space

爬梯宽度 (Vertical ladder width) : INSIDE - 400mm / OUTSIDE - 460mm

选配/ACCESSORIES

型号 Model No.	踏板数 Steps	闭合高度 (cm/ft) Close height	2联伸直高度 (cm/ft) Extension height (two sections)	重量 (KG) Weight	包装尺寸 (cm/pc) Packing size	装柜量 (PCS) Loading Qty
FN-127W-2×14	14+14	445 / 14.60'	770 / 25.26'	35	445×46×19	68 / 155
FN-127W-2×16	16+16	505 / 16.57'	890 / 29.2'	39	505×46×19	68 / 155
FN-127W-2×18	18+18	565 / 18.54'	1010 / 33.14'	44	565×46×19	68 / 155
FN-127W-2×20	20+20	625 / 20.51'	1130 / 37.07'	48.5	625×46×19	0 / 77
FN-127W-2×22	22+22	685 / 22.47'	1250 / 41.01'	52	685×46×19	0 / 77

FIBERGLASS PLATFORM LADDER 玻璃钢绝缘货架梯

产品特点 PRODUCT FEATURES

- 主体结构采用玻璃纤维绝缘材质
- 安全，耐腐蚀，抗老化
- 支持选购不同颜色：蓝，红，黄，橙，黑
- 人性化加宽防滑踏板
- 超大防滑平台设计：400×560mm
- 梯脚采用加强铝合金外框，内配防滑pp塑料脚垫
- 铆接应用：高强度不锈钢钉-机械铆接
- 活动自如的安全防护链条

- Extra thick fiberglass construction
- Excellent impact/corrosion/abrasion resistance
- Blue, red, yellow, orange, black are available
- Aluminum comfortable anti-slip step
- Extra anti-slip platform : 400×560mm
- PP slip-resistant foot with aluminum outer frame
- High strength riveted step
- Safety chain design

选配组件：

- 防踢板设计（拆卸安装方便）：
有效防止作业时，脚滑倒或工具掉落。
- 整体式扶手设计（可拆卸）：
在使用的時候攀爬更自如。
- 内侧结构式连杆，连体把手，收合自如
- 后侧可移动搬运滑轮
- 安全网

ACCESSORIES：

- Removable toe-board for safety work
- Removable all-aluminum handrail design
- Insert link arm for firm support
- Wheels for easy transport
- Safety net

▼ 下面为选配 Optional：



可加装扶手
handrails



可加装防护网
safety net



可加装踢脚板
toe board



材料颜色可以选配
Different colors are available.

150KG
最大承重
MAX.

30cm
踏板间距
Step space



型号 Model No.	踏板数 Total steps	平台尺寸(cm) Platform Size	平台高度(cm/ft) Platform height	闭合高度(cm/ft) Close height	底部跨度(cm/ft) Bottom Length	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty
FN -152F3/ FD3	2+1	40×56	86 / 2.82'	190 / 6.23'	105 / 3.44'	17.5	190×68×15	188 / 445
FN -152F4/ FD4	3+1	40×56	115 / 3.77'	220 / 7.22'	125 / 4.10'	20.5	220×71×15	154 / 365
FN -152F5/ FD5	4+1	40×56	142 / 4.66'	250 / 8.20'	145 / 4.76'	22.5	250×74×15	129 / 305
FN -152F6/ FD6	5+1	40×56	170 / 5.58'	280 / 9.19'	165 / 5.41'	23.5	280×78×15	110 / 260
FN -152F7/ FD7	6+1	40×56	198 / 6.50'	310 / 10.17'	185 / 6.07'	25.5	310×81×15	95 / 225
FN -152F8/ FD8	7+1	40×56	226 / 7.41'	340 / 11.15'	205 / 6.73'	27.5	340×85×15	83 / 196
FN -152F9/ FD9	8+1	40×56	254 / 8.33'	370 / 12.14'	225 / 7.38'	28.5	370×89×15	73 / 173
FN -152F10/ FD10	9+1	40×56	282 / 9.25'	400 / 13.12'	245 / 8.04'	29.0	400×92×15	65 / 154
FN -152F12/ FD12	11+1	40×56	338 / 11.09'	460 / 15.09'	285 / 9.35'	33.0	460×99×15	58 / 138

FN-352A | FN-352F

PLATFORM LADDERS (ALUMINUM / FIBERGLASS)

平台围栏梯(铝合金 / 玻璃钢)

产品特点 PRODUCT FEATURES



- 加宽防滑平台，站立更安全
- 平台360°配备防撞角保护
- 一键折叠，快速收纳
- 加厚壁管，加固斜撑，承重超强
- 防滑尼龙梯脚，适用各种场地
- 加宽踏板、pp塑料包边，不漏一处细节
- 德国机械铆接，拒绝松动，更美观



- Widened non-slip platform, standing safer.
- The platform is equipped with collision Angle protection at 360°.
- One key folding, fast storage.
- Thickened wall pipe, reinforcement oblique support, bearing super strong.
- Non-slip nylon ladder foot, suitable for all kinds of venues.
- Widen pedal, pp plastic bag edge, do not miss a detail.
- Germany mechanical riveting, refuse to loosen, more beautiful.


▼ 下面为选配 Optional:



可加装扶手
handrails



可加装防护网
safety net



可加装踢脚板
toe board



2022219773529 专利号
2022304983695
2022304983869
2022304983892



FN-352F3

玻璃钢款

FN-352A3

铝合金款

平台尺寸:
400×400mm



材料颜色可以选配
Different colors are available.

150KG
最大承重
MAX.

30cm
踏板间距
Step space



型号 Model No.	踏板 Steps	平台尺寸 (cm) Platform Size	平台高度 (cm/ft) Platform Height	护栏高度 (cm/ft) Fence Height	闭合高度 (cm/ft) Close Height	底部跨度 (cm/ft) Bottom Length	重量 (KG) Weight	折叠尺寸 (cm/pc) Packing Size
FN-352A/F-3	2+1	40×40	83 / 2.72'	72 / 2.36'	175 / 5.74'	92 / 3.02'	8.2 9.4	175×65×21
FN-352A/F-4	3+1	40×40	110.5 / 3.63'	72 / 2.36'	204 / 6.69'	110.5 / 3.63'	9.5 10.9	204×68×21
FN-352A/F-5	4+1	40×40	138.5 / 4.54'	72 / 2.36'	236 / 7.74'	130 / 4.27'	11.8 13.3	236×71×21
FN-352A/F-6	5+1	40×40	167 / 5.48'	72 / 2.36'	265 / 8.69'	148 / 4.86'	13.0 14.8	265×76×21
FN-352A/F-7	6+1	40×40	195 / 6.40'	72 / 2.36'	295 / 9.68'	166.5 / 5.46'	14.5 16.5	295×79×21
FN-352A/F-8	7+1	40×40	222.5 / 7.30'	72 / 2.36'	326 / 10.70'	185 / 6.07'	15.8 18.0	326×83×21
FN-352A/F-9	8+1	40×40	250 / 8.20'	72 / 2.36'	356 / 11.68'	204 / 6.69'	17.3 19.6	356×86×21
FN-352A/F-10	9+1	40×40	277.5 / 9.10'	72 / 2.36'	396 / 13.00'	226 / 7.41'	18.9 21.5	396×90×21

FN-107A | FN-107T

FIBERGLASS DOUBLE SIDE LADDER

玻璃钢绝缘双侧梯

产品特点 PRODUCT FEATURES

- 主体结构采用玻璃纤维绝缘材质安全，耐腐蚀，抗老化人性化加宽防滑踏板
- 工具托盘：超强韧性尼龙材料
- 2种铝合金顶板设计
- 梯脚采用加强铝合金外框，内配防滑pp塑料脚垫
- 铆接应用：高强度不锈钢钉-机械铆接

工具盘可以选色
材料颜色可以选配
Different colors are available.



- Extra thick fiberglass construction
- Excellent impact/corrosion/abrasion resistance
- Aluminum comfortable anti-slip step
- Convenient tray for holding tools
- 2 types aluminum topper design
- PP slip-resistant foot with aluminum outer frame
- High strength riveted step

支持选购不同颜色：蓝，红，黄，橙，黑
Blue, red, yellow, orange, black are available



双铆钉设计
(美国版) 机械旋压铆接
(US) mechanical spin riveting



FN-107A6



FN-107T6



选配/Accessories



75mm



顶A/top A



顶B/top B



顶C/top C

150KG
最大承重
MAX.

30cm
踏板间距
Step space

35000V
耐电压 3.5万伏特

型号 Model No.	踏板数 Total steps	闭合高度(cm/ft) Close height	工作高度(cm/ft) Working height	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty
FN-107A5 / T5	5+5	150 / 4.92'	270 / 8.86'	9.8	155 × 50 × 22	213 / 502
FN-107A6 / T6	6+6	180 / 5.91'	300 / 9.84'	11.5	185 × 53 × 22	165 / 399
FN-107A7 / T7	7+7	210 / 6.89'	330 / 10.83'	13.5	215 × 57 × 22	132 / 324
FN-107A8 / T8	8+8	240 / 7.87'	360 / 11.81'	15.5	245 × 61 × 22	109 / 276
FN-107A9 / T9	9+9	270 / 8.86'	390 / 12.80'	17.4	275 × 64 × 22	91 / 224
FN-107A10 / T10	10+10	300 / 9.84'	420 / 13.78'	19.3	305 × 68 × 22	78 / 184
FN-107A11 / T11	11+11	330 / 10.83'	450 / 14.76'	21.6	335 × 71 × 22	68 / 160
FN-107A12 / T12	12+12	360 / 11.81'	480 / 15.75'	24.5	365 × 75 × 22	59 / 146
FN-107A14 / T14	14+14	420 / 13.78'	540 / 17.72'	27.5	425 × 82 × 22	47 / 111
FN-107A16 / T16	16+16	480 / 15.75'	600 / 19.69'	32	485 × 89 × 22	38 / 91

FIBERGLASS SINGLE SIDE LADDER 玻璃钢绝缘单侧梯

产品特点 PRODUCT FEATURES

- 主体结构采用玻璃钢纤维绝缘材质
- 安全，耐腐蚀，抗老化
支持选购不同颜色：蓝，红，黄，橙，黑
人性化加宽防滑踏板
- 工具托盘：超强韧性尼龙材料
- 梯脚采用加强铝合金外框，内配防滑pp塑料脚垫
铆接应用：高强度不锈钢钉-机械铆接

工具盘可以选色
材料颜色可以选配
Different colors are available.



- Extra thick fiberglass construction
- Excellent impact/corrosion/abrasion resistance
Blue, red, yellow, orange, black are available
- Aluminum comfortable anti-slip step
- Convenient tray for holding tools
- PP slip-resistant foot with aluminum outer frame
High strength riveted step



顶板托盘可选配
Top cap colour optional

辅助托盘可选配
Work tray optional




支持选购不同颜色：蓝，红，黄，橙，黑
Blue, red, yellow, orange, black are available



双铆钉设计
(美国版) 机械旋压铆接
(US) mechanical spin riveting



FN-107B6



选配/ACCESSORIES

150KG
最大承重
MAX.

30cm
踏板间距
Step space

型号 Model No.	踏板数 Total steps	闭合高度(cm/ft) Close height	工作高度(cm/ft) Working height	重量(KG) Weight	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty
FN-107B5	5	150 / 4.92'	270 / 8.86'	7.7	155 x 50 x 14	320 / 754
FN-107B6	6	180 / 5.91'	300 / 9.84'	8.9	185 x 53 x 14	252 / 594
FN-107B7	7	210 / 6.89'	330 / 10.83'	10.4	215 x 57 x 14	205 / 483
FN-107B8	8	240 / 7.87'	360 / 11.81'	12	245 x 61 x 14	170 / 401
FN-107B9	9	270 / 8.86'	390 / 12.80'	13.5	275 x 64 x 14	146 / 343
FN-107B10	10	300 / 9.84'	420 / 13.78'	14.9	305 x 68 x 14	126 / 298
FN-107B12	12	360 / 11.81'	450 / 14.76'	18.3	365 x 75 x 14	95 / 223

FN-163F | 167F

FIBERGLASS MULTIPURPOSE LADDER

玻璃钢多功能梯



150KG 最大承重 MAX.	型号 Model No.	踏板数 Total steps	伸直高度(cm/ft) Extension height	A字高度(cm/ft) A height	平台高度(cm/ft) Scaffolding height	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty	价格 Price
28cm 踏板间距 Step space	-163F4×3	12	346 / 11.35'	170 / 5.58'	94 / 3.09'	36×26×94	327 / 750	
	-163F4×4	16	458 / 15.03'	223 / 7.32'	119 / 3.90'	36×26×125	241 / 586	
	-163F4×5	20	570 / 18.70'	278 / 9.12'	-	36×26×152	197 / 478	



FN-163F4×3

FN-163F4×4



FN-167F2×7

关节可以选色

材料颜色可以选配

Different colors are available.

150KG 最大承重 MAX.	28cm 踏板间距 Step space	FRP FIBER REINFORCED PLASTICS	FOR WORKING AROUND ELECTRICITY	CERTIFICATE GB CHINA STANDARDS	EUROPEAN EN131 STANDARDS	ANSI American National Standards Institute	35000V 耐电压 3.5万伏特
型号 Model No.	踏板数 Total steps	伸直高度(cm/ft) Extension height	A字高度(cm/ft) A height	底部跨度(cm/ft) Span width	包装尺寸(cm/pc) Packing size	装柜量(PCS) Loading Qty	20GP / 40HQ
FN-167F2×6	6+6	350 / 11.48'	172 / 5.64'	112 / 3.67'	180×35×13	393 / 926	
FN-167F2×7	7+7	406 / 13.32'	198 / 6.50'	128 / 4.20'	208×35×13	340 / 802	
FN-167F2×8	8+8	462 / 15.16'	224 / 7.35'	144 / 4.72'	236×35×13	300 / 707	
FN-167F2×9	9+9	518 / 16.99'	250 / 8.20'	160 / 5.25'	264×35×13	268 / 632	
FN-167F2×10	10+10	574 / 18.83'	276 / 9.06'	176 / 5.77'	292×35×13	242 / 571	



FN-337A | FN-337F

HOUSEHOLD TOOLS LADDERS (ALUMINUM / FIBERGLASS)

家用工具梯(铝合金/玻璃钢)

产品特点 PRODUCT FEATURES

- 加宽防滑平台，站立更安全
 - 平台360°配备防撞角保护
 - 一键折叠，快速收纳
 - 加厚壁管，加固斜撑，承重超强
 - 防滑尼龙梯脚，适用各种场地
 - 加宽踏板，pp塑料包边，不漏一处细节
 - 德国机械铆接，拒绝松动，更美观
- Widened non-slip platform, standing safer.
 - The platform is equipped with collision Angle protection at 360°.
 - One key folding, fast storage.
 - Thickened wall pipe, reinforcement oblique support, bearing super strong.
 - Non-slip nylon ladder foot, suitable for all kinds of venues.
 - Widen pedal, pp plastic bag edge, do not miss a detail.
 - Germany mechanical riveting, refuse to loosen, more beautiful.

多功能托盘 Multi-purpose tray

平台尺寸:
280×270mm



FN-337A3


铝合金款

FN-337F3

玻璃钢款



专利号:
2022219773529
2022304983695



材料颜色可以选配

Different colors are available.

150KG
最大承重
MAX.

27cm
踏板间距
Step space



型号 Model No.	踏板数 Step	平台尺寸 (cm) Platform Size	平台高度 (cm/ft) Platform Height	护栏高度 (cm/ft) Fence Height	闭合高度 (cm/ft) Close Height	底部跨度 (cm/ft) Bottom Length	重量 (KG) Weight	折叠尺寸 (cm/pc) Packing Size
FN-337A/F-3	2+1	28×27	73 / 2.40'	59 / 1.94'	152 / 4.99'	82 / 2.69'	7.3 8.2	152×50×16.5
FN-337A/F-4	3+1	28×27	96.5 / 3.17'	59 / 1.94'	179 / 5.87'	100.5 / 3.30'	8.4 9.5	179×53×16.5
FN-337A/F-5	4+1	28×27	121 / 3.97'	59 / 1.94'	206 / 6.76'	113.5 / 3.72'	9.5 10.8	206×56×16.5
FN-337A/F-6	5+1	28×27	147 / 4.82'	59 / 1.94'	233 / 7.64'	132 / 4.33'	10.5 11.9	233×59×16.5
FN-337A/F-7	6+1	28×27	172 / 5.64'	59 / 1.94'	260 / 8.53'	151 / 4.95'	11.8 13.5	260×62×16.5
FN-337A/F-8	7+1	28×27	198 / 6.50'	59 / 1.94'	287 / 9.42'	169 / 5.54'	12.9 14.8	287×65×16.5
FN-337A/F-9	8+1	28×27	224 / 7.35'	59 / 1.94'	311 / 10.20'	193 / 6.33'	14.3 16.3	311×68×16.5

SINCE 1996



产品目录

PRODUCTS CATALOGUE

SCAFFOLDING 2021-11版

铝合金脚手架 / 铝合金移动式折叠架（塔架）



参与项目合作伙伴等
部分已签订战略合作
Participate in project partners
Some have signed strategic cooperation

门架配件由高质量T6082-T6和6061-T6航空铝物料制造，拥有高表面硬度，高抗压力及张力可以承受更强大冲击力。
The Frames Components are constructed by High Quality T6082-T6 And 6061-T6 Aircraft Aluminum with High Yield Stress and Strain to resist strong impact force.

框架 / Frames

- 所有框架可自由配搭分别用于上层下层及扶手栏。
- 搭拆采用“互锁弹力夹”。
- “T”型构造使框架坚固及使用寿命长久。
- 5、4、3级框架和扶手架适合不同铝架组合。
- All Frames could be utilize as upper, lower and guardrails without modification.
- Spring interlock clip for easy Assemble & Dismantle.
- “T” set for long life & robust construction.
- 5,4,3 rungs and guardrail frames for different combinations.

三角斜支撑 / Diagonal Struts

- 内置三角斜支撑结构提高框架强硬度，绝不变形以确保框架坚固耐用。
- Built-in diagonal struts minimize frame deformation and enable additional rigidity and best stability.

伸缩防风外支撑 / Adjustable stabilizers

- 平衡外支撑拥有简易锁扣，可轻易夹紧紧身以提高塔架的稳定性。
- 增加伸缩功能，可以满足于不同的地形需求。
- The stabilizers could be attached easily by clamp locks to increase the stability of the tower.
- Adjustable stabilizers are suitable for different terrain.

开窗平台板 / Trapdoor platform

- 活动大型开口平台板舱口便于工作人员登上塔架高层。
- 活动门锁坚固耐用。
- 保险门门确保平台安全关闭。
- 固定金属线防止活门在搬运时松开。
- Large trapdoor hatch for easy access to upper level.
- Durable hinges for longer life.
- Secure trap latch to keep platform closed in transit.
- Retaining wire to prevent trapdoor being left open.

横/斜杆 Horizontal/diagonal braces

- 自锁式设计，简易锁扣使拆装方便。
- 所有自锁横杆、斜杆及其锁扣由高质航空铝物料制造以提供高强度的搭建结构。
- 横/斜杆以不同颜色锁扣区分：
横杆:蓝色
斜杆:红色
- Automatic self locking brace hooks for easy assemble & simple trigger release.
- All self locks braces constructed from high quality aircraft aluminum, welded to the braces gives a robust construction.
- Coloured hooks for easy identification.
Horizontal braces: Blue
Diagonal braces: Red

双向刹车脚轮 / Double Brakes Wheel

- 设有6寸 (Ø 150毫米) 及8寸 (Ø 200毫米) 直径脚轮及底座可供配备。
- 脚轮制造坚固耐用。
- 不留痕、防油及防腐蚀化学物。
- 配合可调脚装置适合不同工作环境。
- 脚轮设计双向刹车制动设计，方便操作
- 6 inch (Ø 150mm) & 8 inch (Ø 200mm) in diameter of castors & base plate available.
- Castors are durable and toughly fabricated.
- Non-marking, grease & chemical resistance.
- Adjustable legs to adjust level on uneven ground condition.
- Easy to lock and open

内置直爬梯 / Built-in vertical ladder

- 框架设最方便内置直爬梯，同等高度应用减少配件数量以及确保爬梯使用工作人员的安全。
- Most convenient built-in vertical ladders, which reduce the quantity of components utilize at same height and also ensures safety ladder access for operators.


FN-177A

铝合金折叠架

ALUMINUM MINI-FOLDING PLATFORM

可满足多种工作高度


站人平台离地高度 (可调节):
1.2M/1.5M/1.8M



350KG 承重量 MAX loading	底座尺寸 L * W Base Size	平台尺寸 L * W Platform Size	单把折叠尺寸 L * W Close Size	净重 Net Weight
30cm 踏板间距 Step space	110×115cm 3½ft × 4¼ft	60×60cm 2×2ft	60×115×250 cm	65kg



可折叠收纳



满足多种工作高度

FN-179S

铝合金拉伸脚手架

MOBILE PLATFORM LADDER LIFTING

200KG 承重量 MAX loading	28CM 踏板间距 Step space	INSIDE: 53CM / OUTSIDE: 61CM 爬梯宽度 Vertical ladder width	型号 Model No.	踏板数 Total step	底座尺寸 W * L base size	脚轮高度 Caster height	平台尺寸 W * L Platform size	平台离地 platform height	扶手高度 handrail height	闭合高度 close height
					215					
			179S-300	8+8	100-200×215 cm	16cm	200 × 53cm	166 - 307cm	100cm	266 cm
			179S-420	10+10	100-200×215 cm	16cm	200 × 53cm	222 - 419cm	100cm	322 cm
			179S-588	13+13	140-280×215 cm	16cm	200 × 53cm	306 - 587cm	100cm	406 cm



伸缩梯使用

When use for extension ladder

规格 / 踏板数 Total step	工作高度 (H) working height
8+8	266-407cm
10+10	322-519cm
13+13	406-687cm



可拆装成单侧伸缩梯使用

It can be disassembled into a side extension ladder for use



FN-175A

多功能移动平台架

MULTIPURPOSE MINI-SCAFFOLDING


-175移动工作平台，全铝合金焊接支架；工程结构更稳固；可拆卸式，运输作业更便捷；加大万向脚轮，作业更随心所欲。

175 Mobile working platform with aluminum alloy welding support; Engineering structure is more stable; Detachable type, more convenient transportation operation; Increase the universal caster, the operation more arbitrary.




可折叠式，收纳方便，搭建自如
Collapsible type, easy to receive, build freely

2 块板/层
2 pc/set



选配 1
TYPE 1

1 块板/层
1 pc/set



选配 2
TYPE 2



侧开式平台板，上下安全更方便
OPEN PLATFORM



快速搭建结构系统（横杆+斜杆）
EASY BUILD SYSTEM




快速折叠锁扣，方便快捷
QUICK FOLDING LOCK

单层版





单层版



双层版

DOUBLE LAYER



整体可以折叠收纳 The whole can be folded and stored

超市、商场、工地、家装、门店等多用途使用，满足一切登高需要。
Supermarkets, shopping malls, construction sites, home decoration, stores and other multi-purpose use, to meet all the needs of climbing.





铝合金移动脚手架/塔架

ALUMINUM SCAFFOLDING
FOR EASY OPERATION
SAFETY & RIGIDITY

★★★★★
EN1004:2004 TESTING
EUROPEAN



凡恩 FN-178 系列 脚手架 系列是全铝合金材质，用料为航空铝料6082-T6和6061-T6，产品设计符合国际认证EN1004: 2004。产品获得瑞士SGS集团安全认证，并由中国平安财产保险公司承保。凡恩工厂通过ISO9001:2015国际质量管理体系认证，全方位保障凡恩系列铝架产品的性能稳定性和产品优越性，为您的施工提供安全与保障。

FINE FN-178 series scaffolding is made of 6082-T6 and 6061-T6 aircraft grade aluminium. Its a smart system with design complies with Global Standard BS EN1004:2004 certified by Swiss SGS. Our scaffoldings are insured by Ping An Property Insurance Company of China. FINE factory achieved certification with ISO 9001:2015 International Quality Management Standard to evidence and guarantee FN-178 series scaffolding system offers excellent performance with highest safety.



178S SERIES

单宽式

Aluminum Scaffolding

SINGLE WIDTH LADDER TOWERS


单宽直爬梯塔架

尺寸: 0.75米 (宽) * 2.0米/2.5米/3.0米 (长)

- 适合在有限空间工作。
- 易于穿越一般标准门口及通道。
- 即使在电梯及楼梯也易于搭建。
- 轻巧精致稳固，便于轻型货车运载。

Dimensions: 0.75m (W) x 2.0m/2.5m/3.0m (L)

- Suitable for working in limited space
- Easy to access through standard doorways & stairways
- Light & compact enough to store in small vans & trucks



安全工作载重:

Safe working load :

- 每层平均承托272公斤
- 整体最高载重可达900公斤
- 272kg per platform evenly distributed
- 900kg per complete structure



ALUMINUM

铝材

每把产品使用的铝材都由凡恩自主生产。真正从源头抓质量，型材厚度、硬度质量都得到质的保障，让每一把凡恩生产的产品都能得到保障

FINE is responsible for the production of every piece of aluminum products, so as to ensure the quality from the source and the thickness, hardness and quality of the profiles, so that every piece of FINE products can be guaranteed



生产工艺（双重保护）：机械冷压+无缝焊接

PRODUCTION PROCESS
(DOUBLE GUARANTEE)

MECHANICAL COLD PRESSING
SEAMLESS WELDING

- 铝材厚度达 2.2 mm
- Thickness of aluminum up to 2.2mm
- 接驳处达 10mm
- The thickest connection reaches 10mm

Aluminum Scaffolding

178SW SERIES 双宽式

DOUBLE WIDTH LADDER TOWERS

双宽直爬梯塔架

尺寸: 1.35米 (宽) * 2.0米/2.5米/3.0米 (长)

- 适合建筑工程及工业使用。
- 直爬梯结构提供最大的工作空间和减少搭建时间。
- 精致组合设计拥有更大灵活性以及提供最高使用率。
- 工作平台可设置于塔架任何一级，每级步距为460毫米。


Dimensions: 1.35m (W) x 2.0m/2.5m/3.0m (L)

- Suitable for construction & industrial usages
- Vertical ladder structure provides maximum work space & reduce erection time
- Proper combination of design with greater flexibility and maximizing utilization
- Platform can be placed at any rung of the frames, distance between each rung is 460mm



工作高度(米)
Working Height(m)
平台高度(米)
Platform Height(m)

4.34	4.81	5.27	5.73	6.20	6.66	7.13	7.59	8.05	8.52	8.98	9.45	9.91	10.37	10.84	11.30	11.77	12.23
2.34	2.81	3.27	3.73	4.20	4.66	5.13	5.59	6.05	6.52	6.98	7.45	7.91	8.37	8.84	9.30	9.77	10.23



20°/45°STAIRWAY TOWERS

20°斜爬式塔架

45°斜走式塔架




20°斜爬式塔架

尺寸: 1.35米 (宽) * 2.0米/2.5米/3.0米 (长)

- 设快速爬梯系统。
- 完美地适合于频密的高空工作。
- 人性化20°设计, 便于快速攀爬。

Dimensions: 1.35m (W) x 2.0m/2.5m/3.0m (L)

- Integral stairway and hand rail system
- Ideal for frequent ascents and descents inside the tower



45°斜走式塔架

尺寸: 1.35米 (宽) * 2.0米/2.5米/3.0米 (长)

- 设走梯及扶手系统。
- 完美地适合于频密的高空工作。
- 方便携带工具及搬运物料上落。

Dimensions: 1.35m (W) x 2.0m/2.5m/3.0m (L)


- Integral stairway and hand rail system
- Ideal for frequent ascents and descents inside the tower
- Convenient for tools and material transportation


工作高度(米)
Working Height(m)

4.34 4.81 5.27 5.73 6.20 6.66 7.13 7.59 8.05 8.52 8.98 9.45 9.91 10.37 10.84 11.30 11.77 12.23


平台高度(米)
Platform Height(m)

2.34 2.81 3.27 3.73 4.20 4.66 5.13 5.59 6.05 6.52 6.98 7.45 7.91 8.37 8.84 9.30 9.77 10.23






5 Rung Ladder Frame
Double Width (SWL5)
双宽五级直爬梯架



4 Rung Ladder Frame
Double Width (SWL4)
双宽四级直爬梯架




3 Rung Ladder Frame
Double Width (SWL3)
双宽三级直爬梯架



5 Rung Ladder Frame
Single Width (SI5)
单宽五级直爬梯架



4 Rung Ladder Frame
Single Width (SI4)
单宽四级直爬梯架



3 Rung Ladder Frame
Single Width (SI3)
单宽三级直爬梯架




5 Rung Span Frame
Double Width (Sw5)
双宽五级架



4 Rung Span Frame
Double Width (Sw4)
双宽四级架



3 Rung Span Frame
Double Width (Sw3)
双宽三级架



Guardrail
Double Width (SWH)
双宽护栏架




5 Rung Span Frame
Single Width (S5)
单宽五级架



4 Rung Span Frame
Single Width (S4)
单宽四级架




3 Rung Span Frame
Single Width (S3)
单宽三级架




Guardrail
Single Width (SH)
单宽护栏架




Narrow Plain Platforms
(P3/P2/P1)
窄身平台板




Plain Platforms
(WP3/WP2/WP1)
平台板



Trapdoor Platforms
(OP3/OP2/OP1)
开窗平台板




Diagonal Braces (RED)
DB3/DB2/DB1
斜杆 (红色)




Horizontal Braces (BLUE)
HB3/HB2/HB1
直杆 (蓝色)




Clip on Ladders
(HL3/HL4/HL5)
悬挂梯



(HLG3/DBG)
三级架斜跨梯



(HLG4/DBG)
四级架斜跨梯



(HLG5/DBG)
五级架斜跨梯



Adjustable Stabilizer
(STAB250)
可调式防风外撑腿



Adjustable Stabilizer
(STAB600)
加长可调式防风外撑腿



Castor
(CT6)φ150
双向刹车 6 寸脚轮




Castor
(CT8)φ200
双向刹车 8 寸脚轮




Base Plate
φ150(BP)
底座



Adjustable Leg
(ALS)
可调铝杆



Toeboard Sets
(TB1/TB2/TB3)
踢脚板



DIY定制版



20多年专业团队开发与销售，产品由生产到运输保证以速度最快最安全质量最好到您手上
More than 20 years of professional team development and sales, products from production to transportation to ensure the fastest, safest and best quality to your hands



中国南方航空

China southern airlines - use our full range of products for maintenance operations. Use products: aluminum alloy scaffolding, aluminum ladder, racks, aluminum alloy aluminum platform



国家电网警示柱

State grid corporation of China custom - glass fiber reinforced plastic anti-corrosion - warning column



巴基斯坦机场

Pakistan's benazir bhutto international airport Aluminum ladder procurement projects, supply FN-111 series fire ladder




广州白云机场

Guangzhou baiyun international airport T2 terminal. Decoration maintenance - use light series of scaffolding products




新加坡樟宜机场

Singapore's changi airport T5 - the third phase of the first phase of the project. The use of all: the ladder products well



深圳龙华项目

Shenzhen longhua site use our aluminum alloy scaffolding products. For outdoor decoration maintenance operations



新加坡樟宜机场

The third phase of the T5 - Singapore's changi airport project Use our production - snake belly nets series products



消防车定制梯

Forever strong auto fire special ladder



一汽大众定制平台

Foshan faw Volkswagen industrial park - the first phase of the third phase of the project All use custom matching series aluminum alloy high project



茂名石化防腐梯

China - guangdong maoming petrochemical plant. Use our special customized to glass fiber reinforced plastic anti-corrosion gym



机场防护铝刺绳

The third phase of the T5 - Singapore's changi airport project Security against the cars -to use our production of aluminum alloy barbed wire series products




机场警示柱

The second phase of the T5 - Singapore's changi airport project. Our company provide traffic warning column project

经典项目及案例

PROJECTS AND CASES





参与项目的集团公司和合作伙伴
-Group companies and partners involved in the project-



FINE

FACTORY SHOOT



FINE GO GLOBAL

图片仅供参考。更多产品信息，欢迎垂询。

PICTURES ARE ONLY FOR REFERENCE. FOR ANY FURTHER INFORMATION, WELCOME TO CONTACT WITH OUR SALES REPRESENTATIVES.

欢迎来图定制

CUSTOMERIZED PRODUCTS



始于1996年，拥有超过 **27** 年的生产经验与技术能力



参与项目合作伙伴等
部分已签订战略合作

Participate in project partners
Some have signed strategic cooperation

佛山市凡恩金属制品有限公司

Foshan FINE Metal Products Co., LTD

Address: Weipai Industrial Park, Xinnan Industrial Zone, Guanyao Village,
Shishan Town, Nanhai District, Foshan City, Guangdong Province, China

YOYO

Tell/Wechat/Whatsapp: +86 13760952355

Email: yoyo@fnmetal.com



Whatsapp



Wechat



Website